



ANAPHYLAXIS POLICY

PURPOSE

To explain to Hallam PS parents, carers, staff and students the processes and procedures in place to support students diagnosed as being at risk of suffering from anaphylaxis. This policy also ensures that Hallam PS is compliant with Ministerial Order 706 and the Department's guidelines for anaphylaxis management.

SCOPE

This policy applies to:

- all staff, including casual relief staff and volunteers
- all students who have been diagnosed with anaphylaxis or who may require emergency treatment for an anaphylactic reaction and their parents and carers.

POLICY

School Statement

Hallam PS will fully comply with Ministerial Order 706 and the associated guidelines published by the Department of Education and Training.

Anaphylaxis

Anaphylaxis is a severe allergic reaction that occurs after exposure to an allergen. The most common allergens for school-aged children are nuts, eggs, cow's milk, fish, shellfish, wheat, soy, sesame, latex, certain insect stings and medications.

Symptoms

Sights and symptoms of a mild to moderate allergic reactions can include:

- swelling of the lips, face and eyes
- hives or welts
- tingling in the mouth

Signs and symptoms of anaphylaxis, a severe allergic reaction, can include:

- difficult/noisy breathing
- swelling of tongue
- difficulty talking and/or hoarse voice
- wheeze or persistent cough
- persistent dizziness or collapse
- student appears pale or floppy
- abdominal pain and/or vomiting

Symptoms usually develop within ten minutes and up to two hours after exposure to an allergen, but can appear within a few minutes.

Treatment

Adrenaline given as an injection into the muscle of the outer mid-thigh is the first aid treatment for anaphylaxis.

Individuals diagnosed as being at risk of anaphylaxis are prescribed an adrenaline auto injector for use in an emergency. These adrenaline auto injectors are designed so that anyone can use them in an emergency.

Individual Anaphylaxis Management Plans

All students at Hallam PS who are diagnosed as being at risk of suffering from an anaphylactic reaction by a medical practitioner must have an Individual Anaphylaxis Management Plan. When notified of an anaphylaxis diagnosis, the Principal of Hallam PS is responsible for developing a plan in consultation with the student's parents/carers.

Where necessary, an Individual Anaphylaxis Management Plan will be in place as soon as practicable after a student enrolls at Hallam PS and, where possible, before the student's first day.

Parents and carers must:

- obtain an ASCIA Action Plan for Anaphylaxis from the student's medical practitioner and provide a copy to the school as soon as practicable
- immediately inform the school in writing if there is a relevant change in the student's medical condition and obtain an updated ASCIA Action Plan for Anaphylaxis
- provide an up to date photo of the student for the ASCIA Action Plan for Anaphylaxis when that Plan is provided to the school and each time it is reviewed
- provide the school with a current adrenaline auto injector for the student that is not expired
- participate in annual reviews of the student's Plan.

Each student's Individual Anaphylaxis Management Plan must include:

- information about the student's medical condition that relates to allergy and the potential for anaphylactic reaction, including the type of allergies the student has
- information about the signs or symptoms the student might exhibit in the event of an allergic reaction based on a written diagnosis from a medical practitioner
- strategies to minimise the risk of exposure to known allergens while the student is under the care or supervision of school staff, including in the school yard, at camps and excursions, or at special events conducted, organised or attended by the school
- the name of the person(s) responsible for implementing the risk minimisation strategies which have been identified in the Plan
- information about where the student's medication will be stored
- the student's emergency contact details
- an up-to-date ASCIA Action Plan for Anaphylaxis completed by the student's medical practitioner.

Review and updates to Individual Anaphylaxis Plans

A student's Individual Anaphylaxis Plan will be reviewed and updated on an annual basis in consultation with the student's parents/carers. The plan will also be reviewed and, where necessary, updated in the following circumstances:

- as soon as practicable after the student has an anaphylactic reaction at school
- if the student's medical condition, insofar as it relates to allergy and the potential for anaphylactic reaction, changes
- when the student is participating in an off-site activity, including camps and excursions, or at special events including fetes and concerts.

Our school may also consider updating a student's Individual Anaphylaxis Management Plan if there is an identified and significant increase in the student's potential risk of exposure to allergens at school.

Location of plans and adrenaline auto injectors

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis in the student's classroom, together with the student's adrenaline auto injector. Adrenaline auto injectors must be labelled with the student's name. Staff in the area and students in the classroom will be aware of the location of the EpiPen.

At camp/on excursions:

A copy of each student's Individual Anaphylaxis Management Plan will be stored with their ASCIA Action Plan for Anaphylaxis in a schoolbag/bum bag. Students are encouraged to keep their adrenaline auto injectors on their person.

An Adrenaline auto injector for general use is available in the Sick Bay and is labelled "general use". Staff are aware of the location of the generic EpiPen.

Risk Minimisation Strategies

Our school will manage anaphylaxis by:

- ensuring staff are provided with professional development on the identification and response to anaphylaxis and the proper use of an EpiPen. This will include yard duty staff.
- providing regular training and updates for school staff in recognising and responding appropriately to an anaphylactic reaction, including competently administering an EpiPen
- detailing prevention strategies for in-school and out-of-school settings
- identifying susceptible students and knowing their allergens
- informing the community about anaphylaxis/severe allergies via the newsletter
- discouraging food sharing, and restricting food to that approved by parents
- keeping the lawns well mown, ensuring children always wear shoes, and discouraging sweet drinks at school
- requiring parents to provide an Anaphylaxis Management Plan developed by a health professional and an EpiPen, if necessary, both of which will be kept in the student's classroom for reference/use as required. Staff will be informed of the EpiPen's safe keeping place
- developing an Anaphylaxis Risk Management Checklist to be completed on an annual basis. See: [Anaphylaxis Risk Management Checklist \(doc 39.47 KB\)](#)
- purchasing a spare or 'backup' adrenaline auto-injection devices(s) as part of the school sick bay kit, for general use.

To reduce the risk of a student suffering from an anaphylactic reaction at Hallam PS, we have put in place the following strategies:

- staff and students are regularly reminded to wash their hands before eating
- students are discouraged from sharing food
- garbage bins are to be collected and emptied each day, and stored upside down in the undercover area to reduce the risk of attracting insects
- tongs are provided for students when picking up papers or rubbish in the playground
- year groups will be informed of allergens that must be avoided in advance of class parties, SAKG program or camps/excursions
- a general use EpiPen will be stored in the school sick bay
- planning for off-site activities will include risk minimisation strategies for students at risk of anaphylaxis including supervision requirements, appropriate number of trained staff, emergency response procedures and other risk controls appropriate to the activity and students attending.

Adrenaline auto injectors for general use

<http://www.education.vic.gov.au/school/teachers/health/pages/anaphylaxischl.aspx>.]

Hallam PS will maintain one adrenaline auto injector for general use, as a back-up to those provided by parents and carers for specific students, and also for students who may suffer from a first time reaction at school.

The Adrenaline auto injector for general use will be stored in the cupboard in Sick Bay and labelled “general use”.

The Principal is responsible for arranging the purchase of adrenaline auto-injectors for general use, and will consider:

- the number of students enrolled at Hallam PS at risk of anaphylaxis
- the accessibility of adrenaline auto-injectors supplied by parents
- the availability of a sufficient supply of auto-adrenaline injectors for general use in different locations at the school, as well as at camps, excursions and events
- the limited life span of adrenaline auto-injectors, and the need for general use adrenaline auto-injectors to be replaced when used or prior to expiry.

Emergency Response

In the event of an anaphylactic reaction, the emergency response procedures in this policy must be followed, together with the school’s general first aid procedures, emergency response procedures and the student’s Individual Anaphylaxis Management Plan.

A complete and up to date list of students identified as being at risk of anaphylaxis is maintained by the Admin Staff and stored in the sick bay. For camps, excursions and special events, a designated staff member will be responsible for maintaining a list of students at risk of anaphylaxis attending the special event, together with their Individual Anaphylaxis Management Plans and adrenaline auto injectors, where appropriate.

If a student experiences an anaphylactic reaction at school or during a school activity, school staff must:

Step	Action
1.	<ul style="list-style-type: none">• Lay the person flat• Do not allow them to stand or walk

<https://hallam-ps.vic.edu.au/about-us/#policies>

	<ul style="list-style-type: none"> • If breathing is difficult, allow them to sit • Be calm and reassuring • Do not leave them alone • Seek assistance from another staff member or reliable student to locate the student's adrenaline auto injector or the school's general use auto injector, and the student's Individual Anaphylaxis Management Plan, stored in the student's classroom or generic pen in the sick bay. • If the student's plan is not immediately available, or they appear to be experiencing a first time reaction, follow steps 2 to 5
2.	<p>Administer an EpiPen or EpiPen Jr (if the student is under 20kg)</p> <ul style="list-style-type: none"> • Remove from plastic container • Form a fist around the EpiPen and pull off the blue safety release (cap) • Place orange end against the student's outer mid-thigh (with or without clothing) • Push down hard until a click is heard or felt and hold in place for 3 seconds • Remove EpiPen • Note the time the EpiPen is administered • Retain the used EpiPen to be handed to ambulance paramedics along with the time of administration
3.	Call an ambulance (000)
4.	If there is no improvement or severe symptoms progress (as described in the ASCIA Action Plan for Anaphylaxis), further adrenaline doses may be administered every five minutes, if other adrenaline auto injectors are available.
5.	Contact the student's emergency contacts.

If a student appears to be having a severe allergic reaction, but has not been previously diagnosed with an allergy or being at risk of anaphylaxis, school staff should follow steps 2 – 5 as above.

[Note: If in doubt, it is better to use an adrenaline auto injector than not use it, even if in hindsight the reaction is not anaphylaxis. Under-treatment of anaphylaxis is more harmful and potentially life threatening than over treatment of a mild to moderate allergic reaction. Refer to page 41 of the [Anaphylaxis Guidelines](#)].

Communication Plan

This policy will be available on Hallam PS's website so that parents and other members of the school community can easily access information about Hallam PS's anaphylaxis management procedures. The parents and carers of students who are enrolled at Hallam PS and are identified as being at risk of anaphylaxis will also be provided with a copy of this policy.

The Assistant Principal/First Aid Coordinator is responsible for ensuring that all relevant staff, including casual relief staff and volunteers are aware of this policy and Hallam PS's procedures for anaphylaxis management. Anaphylaxis briefings and the commencement of the year staff induction information ensures that staff – including ES personnel, are aware of this policy and their role in regards to students in their care at risk of anaphylaxis. Casual relief staff and volunteers who are responsible for the care and/or supervision of students who are identified as being at risk of anaphylaxis will also have this information available in the CRT folder specific to the class. The CRT will also receive a verbal briefing on this policy.

The principal is also responsible for ensuring relevant staff are trained and briefed in anaphylaxis management, consistent with the Department's *Anaphylaxis Guidelines*.

<https://hallam-ps.vic.edu.au/about-us/#policies>

Staff training

The Principal/Assistant Principal will ensure that the following school staff are appropriately trained in anaphylaxis management:

- All teaching staff
- ES staff (class aides, Admin staff, etc.)

Staff who are required to undertake training must have completed:

- an approved face-to-face anaphylaxis management training course in the last three years, or
- an approved online anaphylaxis management training course in the last two years.

Hallam Primary School uses the following training courses: ASCIA eTraining course (with 22303VIC)

Staff are also required to attend a briefing on anaphylaxis management and this policy at least twice per year, facilitated by a staff member who has successfully completed an anaphylaxis management course within the last 2 years including Assistant Principal or First Aid Coordinator. Each briefing will address:

- this policy
- the causes, symptoms and treatment of anaphylaxis
- the identities of students with a medical condition that relates to allergies and the potential for anaphylactic reaction, and where their medication is located
- how to use an adrenaline auto injector, including hands on practice with a trainer adrenaline auto injector
- the school's general first aid and emergency response procedures
- the location of, and access to, adrenaline auto injectors that have been provided by parents or purchased by the school for general use.

When a new student who is at risk of anaphylaxis enrolls at Hallam PS, the Assistant Principal will develop an interim plan in consultation with the student's parents and ensure that appropriate staff are trained and briefed as soon as possible.

FURTHER INFORMATION AND RESOURCES

- School Policy and Advisory Guide:
 - [Anaphylaxis](#)
 - [Anaphylaxis management in schools](#)
- Allergy & Anaphylaxis Australia: [Risk minimisation strategies](#)
- ASCIA Guidelines: [Schooling and childcare](#)
- Royal Children's Hospital: [Allergy and immunology](#)
- Student Health Support Plan

REVIEW CYCLE AND EVALUATION

This policy was updated in 2019 and is scheduled for review in 2020.

The Assistant Principal/First Aid Coordinator will complete the Department's Annual Risk Management Checklist for anaphylaxis management to assist with the evaluation and review of this policy and the support provided to students at risk of anaphylaxis.

Endorsed By	Hallam Primary School Council
Endorsement Date	15.08.2019
Reviewed	2019
Responsible for Review	Assistant Principal / First Aid Coordinator
Next Review	2020